

Appendix J

the HARVARD GUIDE to MODERN PSYCHIATRY

PETER E. SHENKOS • ANN W. BIRK • NORMAN
GESCHWIND • CELINOR WEEKS • SEURVERT H.
FRAZIER • MARTIN A. BEREZIN • LEE BIRK
• NORMAN E. BERNSTEIN • JUSTIN L. WEISS •
SEYMOUR S. KETY • IRA SHERWIN • CLYDE
BEISER • ALFRED H. STANTON • JOSEPH
SCHILDKRAUT • ROSS F. BALDASSARINI •
GEORGE E. VAILLANT • BENJAMIN SELTZER
• NED L. CASSEM • MAX DAY • WILLIAM W.
MEISSNER • DAVID V. SHEEHAN • EDWIN V.
SEMRAID • ALAN A. STONE • JOHN C. NEMIAH •
LEE B. MACH • CARL SALZMAN • T. CORWIN
FLEMING • JOHN E. MACK • ERNEST HARTMANN
• GERALD L. KLERMAN • THOMAS P. HACKETT
• EDITED BY ARMAND M. NICHOLI, JR.

93-12

the HARVARD GUIDE to MODERN PSYCHIATRY

EDITED BY Armand M. Nicholi, Jr., M.D.

The Belknap Press of Harvard University Press

Cambridge, Massachusetts, and London, England • 1978

CHAPTER 18

BALDESSARINI / CHEMOTHERAPY 427

interpersonal conflict; a more favorable response also tends to occur in patients with passive and almost magical expectations of the physician. An enthusiastic, charismatic presentation of the medication and its sedative effects by the physician also seems to help. Patients who are more active, vigorous and extroverted tend to dislike the sedative effects of antianxiety agents and may even become more uncomfortable taking them.

The broad and loosely defined applications of antianxiety agents and the high rate of favorable responses to a placebo in many of these conditions (30–60 percent of subjects) increases the difficulty of demonstrating significant benefits from an active drug (Rickels, 1968); moreover, the short-lived reactive forms of anxiety eventually improve spontaneously. The main conclusions from reviews of drug trials are that sedative-tranquilizing agents have appreciable and fairly consistent antianxiety effects beyond a placebo effect and that demonstration of the superiority of one agent or class over another is extremely difficult, leaving one to select a specific agent on the basis of considerations other than its demonstrated superiority in a given condition.

For routine use in the treatment of neurotic anxiety, the short-acting barbiturates and non-barbiturate sedatives produce excessive sedation and have unacceptably high addiction potential

and lethality. Barbiturates (as well as diazepam or the highly sedating butyrophenones, amperidol) are occasionally used in emergencies to produce rapid sedation in psychotic, manic, or enraged patients, especially in addition to a sedating antipsychotic agent such as chlorpromazine. Amobarbital (Amytal and generic) is still given intravenously to facilitate the differential diagnosis of catatonic behavior or to uncover highly repressed thoughts or feelings in diag-

Rapid Sedation of psychotic patients
Anti psychotic
1) Short acting barbiturate.
Second / Compazine
Just like I was on
duce addiction, but its comparisons with barbiturates and the benzodiazepines have shown it to be an inferior antianxiety agent.

The benzodiazepines (fig. 18.7, table 18.8) are

TABLE 18.8 Sedative antianxiety agents: benzodiazepines.

Generic name	Trade name	Dose range (mg/day)	Ratio of lethal to daily dose ^a
<i>Sedative-tranquilizers</i>			
Chlordiazepoxide	Librium, generic	15–100 ^b	10
Chlorazepate	Tranxene	15–60	5
Diazepam	Valium	6–40	20
Oxazepam	Serax	30–120	?
<i>Sedative-hypnotics</i>			
Flurazepam	Dalmane	15–30 (at bedtime)	10
Nitrazepam	(Mogodon)	unavailable in U.S.	?

^a The human lethal dose of the benzodiazepines is poorly established but exceeds a week's supply of ordinary doses. Rare fatalities have been reported after 700–1000 mg of Librium or Valium.

^b Up to 400 mg may be used in delirium tremens.

Appendix K

Sedatives (see
Sedative-
Hypnotics)

Sedatives the
Appellant was
prescribed

746 { Persantine

thacin (Indocin), ticlopidine (Ticlid), valproic acid (Depakene). To avoid increased bleeding, take only the amount of aspirin prescribed by the same doctor prescribing Persantine. If you need medication for pain or fever, do not take extra aspirin without consulting the doctor who prescribed Persantine.



No known food/other substance interactions.

Special Cautions



If pregnant or planning to become pregnant, inform your doctor immediately. Appears in breast milk; could affect a nursing infant.



No special precautions apply to seniors.



Not generally prescribed for children under 12 years.



Use carefully if you have low blood pressure.

Inform
ical em
santine.

Pertofr

see NORPRAM

Phenap

see TYLENOL

Phenaz
Hydroc

see PYRIDIA

Phenergan { 747

Phenelzine Sulfate

see NARDIL

Phenergan

Generic name: Promethazine hydrochloride

Phenergan is an antihistamine. Antihistamines block the effects of histamine, a body chemical that causes swelling and itching.

QUICK FACTS

Purpose

Used to relieve nasal stuffiness and inflammation, and red, inflamed eyes caused by hay fever and other allergies. Also used to treat itching, swelling, and redness from hives and other rashes, allergic reactions to blood transfusions. Prescribed with other medications to treat anaphylactic shock (severe allergic reaction). Also prescribed as a sedative for children and adults, to prevent and control nausea and vomiting before and after surgery, to prevent and treat motion sickness, and for pain after surgery.

3e

Take exactly as prescribed.

Usual adult dose: for allergy—oral dose of 25 milligrams taken before bedtime, or 12.5 milligrams before meals and before bed. For motion sickness—25 milligrams taken 2 times per day. First dose should be taken 1/2 to 1 hour before travel, and second dose 8 to 12 hours later. Then 25 milligrams in the morning and before evening meal. For nausea and vomiting—25 milligrams orally, or if cannot be tolerated, rectal suppository. Doctor may advise 12.5 to 25 milligrams every 4 to 6 hours if necessary. For isom 25 to milligram at bedtime.

Sedative
also a phenothiazine

748 { Phenergan



Usual child dose: for allergy—a single 25 milligram dose at bedtime or 6.25 to 2.5 milligrams 3 times per day. For motion sickness—12.5 to 25 milligrams taken 2 times per day in tablet, syrup, or rectal suppository form. For nausea and vomiting—0.5 milligram per pound of body weight; age of child and severity of condition are taken into consideration. For insomnia—12.5 to 25 milligrams by tablet or rectal suppository at bedtime.



Missed dose: if taking on a regular schedule—take as soon as possible, unless almost time for next dose. In that case, do not take missed dose; go back to regular schedule. Do not double doses.

Side Effects



Overdose symptoms: difficulty breathing, dry mouth, fixed or dilated pupils, flushing, loss of consciousness, slowdown in brain activity, slowed heartbeat, stomach and intestinal problems, very low blood pressure. If you suspect an overdose, immediately seek medical attention.



More common side effects: blurred vision, dizziness, dry mouth, increased or decreased blood pressure, nausea, rash, sedation, sleepiness, vomiting.



Rare side effects: abnormal eye movements, blood disorders, confusion, disorientation, protruding tongue, sensitivity to light, stiff neck.

Interactions



Inform your doctor before combining Phenergan with: certain antidepressants, including Elavil and Tofranil; narcotic pain relievers such as Demerol and Dilaudid; sedatives such as Halcion and Seconal; tranquilizers such as Xanax and Valium.



Do not drink alcohol while taking Phenergan.

Seen this once or
twice in the
brief?

{ 749

t, inform
ncy test
affect a

ildren 2
pervise
ting, or
activities.



May cause drowsiness and impair your ability to drive a car or operate machinery. Do not take more than any activity that requires alertness. Doctor may reduce other medications you are currently taking if they also cause drowsiness.

Should not use if sensitive to or allergic to this or similar medications such as Thorazine, Mellaril, Stelazine, or Prolixin.

Phenergan may prompt seizures in people who already experience them.

Should not take if you have sleep apnea (periods of sleep when breathing stops).

Use with caution if you have: heart disease, high blood pressure or circulatory problems, liver problems, narrow-angle glaucoma, peptic ulcer or other abdominal obstructions, or urinary bladder obstruction due to enlarged prostate.

May raise blood sugar.

You may experience jaundice (yellow eyes and skin) during Phenergan therapy.

Interactions

Inform your doctor before combining Micronase with: adrenal corticosteroids such as prednisone; airway-opening medications such as Proventil and Ventolin; anabolic steroids such as testosterone and Danazol; antacids such as Mylanta; beta-blockers such as Inderal and Tenormin; calcium channel blockers such as Cardizem and Procardia; certain antibiotics such as Cipro; chloramphenicol (Chloromycetin); cimetidine (Tagamet); clofibrate (Atromide-S); estrogens such as Premarin; fluconazole (Diflucan); Furosemide (Lasix); gemfibrozil (Lopid); isoniazid; itraconazole (Sporanox); major tranquilizers such as Stelazine and Mellaril; MAO inhibitors such as Nardil and Parnate; miconazole (Monistat); niacin (Nicolar or Nicobid); nonsteroidal anti-inflammatory medications such as Advil, aspirin, Motrin, Naprosyn, and Voltaren; oral contraceptives; phenytoin (Dilantin); probenecid (Benemid or Col-BENEMID); sulfa medications such as Septra; Synthroid; thiazide diuretics such as Diuril and HydroDIURIL; warfarin (Coumadin).



Alcohol may increase risk of hypoglycemia.

Special Cautions

If pregnant or planning to become pregnant, inform your doctor immediately. Not known if Micronase appears in breast milk, although other similar medications do. Should be prescribed if benefit outweighs risk to fetus. Doctor may prescribe insulin injections during pregnancy as maintaining blood sugar levels is important.



Seniors may be prescribed lower doses.



Not generally prescribed for children.



Micronase is not an oral form of insulin and cannot be substituted for Insulin.

Should not take if allergic to this medication.

If you have diabetic ketoacidosis, should not take Micronase.

Risk of hypoglycemia also increased by: missed meals, other medications, fever, trauma, infection, surgery, kidney or liver problems, lack of adrenal or pituitary hormones.

May increase

Should be used for abnormal

Effectiveness decreased if taken with

Midrin

Generic ingredient: dichloralphen.

Other brand names:

Iso-Acetazone, Migratine, Migrazone, Migrend, Migrex, Misquin, Mitride

Midrin is a combination analgesic/sedative/vascular headache suppressant. It causes blood vessels in the head to constrict or become narrower, and it relieves pain.

QUICK FACTS**Purpose**

Used to treat tension headaches. Also used to treat migraines.

Sedative!

604 { Midrin

Dosage



Take at the onset of headache. Do not take more than the dose prescribed.



Usual adult dose: for migraine—2 capsules at once, 1 capsule every hour until there is relief. Do not take more than 5 capsules in a 12-hour period. For tension headache—1 or 2 capsules every 4 hours up to 8 capsules per day maximum.



Usual child dose: not generally prescribed for children.



Missed dose: take only as needed.

Side Effects



Overdose symptoms: no specific information available. However, if you suspect an overdose, immediately seek medical attention.



Side effects: short period of dizziness, skin rash.



No known less common or rare side effects.

Interactions



Inform your doctor before combining Midrin with acetaminophen-containing medications such as Tylenol; antihistamines such as Benadryl; central nervous system depressants such as Halcion, Valium, and Xanax. Do not take MAO inhibitor antidepressant medications (Nardil or Parnate) unless specifically instructed by your doctor.



Avoid alcohol while taking Midrin.

Special Cautions



If pregnant, planning to become pregnant, or breastfeeding, inform your doctor.

65

to special precautions apply, seniors

Miltown { 605



Not generally prescribed for children.



Do not take if you have: glaucoma, severe kidney disease, high blood pressure, physical heart defect, or liver disease unless specifically instructed by your doctor.

Midrin does not prevent headaches.

Use with caution if you have any abnormal condition of blood vessels outside the heart, or have recently had a heart attack or stroke.

Miltown

Interactions
Look closely you
will see some
Familiar

ain areas
to func-

vide short-

or's instruc-
tion.

0—1,200 to

1,600 milligrams per day divided into 3 or 4 doses, not to exceed 2,400 milligrams per day. Miltown 600—one tablet 2 times per day, not to exceed 2,400 milligrams per day. Seniors—prescribed lowest possible dose.

Medication Log

(Mannheim Confinement Facility)

Broadwell
DOCATORS NAME

940312
DATE

40
QTY

RHK
VERIFIED BY

INMATES INIT
RECVD BY

DATE	TIME	DOSE	BALANCE	ISSUED BY	RECVD BY
940312	1400		40	RHK INVENTORY	
940312	1430	-2	39	RHK INVENTORY/ KA	
940312	1300	-1	38	RHK INVENTORY/ KA	
940313	0600	-0	36	SSG Wells INVENTORY/ KA	
940313	0800	-2	36	SSG Wells INVENTORY/ KA	
940313	1122	-1	35	B.F INVENTORY/ KA	
940313	2200	INV	35	NORTH INVENTORY	
940314	0600		35	JACKSON INVENTORY	
940314	1100		35	W. S. INVENTORY	
940314	2222	-0	35	NORTH INVENTORY	
940315	0602		35	RHK INVENTORY	
940315	1215	-2	33	SSG Wells INVENTORY/ KA	
940315	1400	INV	33	SATC INVENTORY	
940315	2230		33	W. S. INVENTORY	
940316	0600	INV	33	W. S. INVENTORY	
940316	1400		33	W. S. INVENTORY	
940316	2200		33	W. S. INVENTORY	
940317	0600	INV	33	W. S. INVENTORY	
940318	0715	-2	31	DEC INVENTORY/ KA	
940318	1010	-1	30	DEC INVENTORY/ KA	
940319	0523		28	DEC INVENTORY/ KA	
940319	1010		27	DEC INVENTORY/ KA	
940319	1800		2225	DEC INVENTORY/ KA	
940319	2200			W. S. INVENTORY/ KA	
940321				Stank INVENTORY	
940321				Stank INVENTORY/ KA	
940321				Stank INVENTORY/ KA	
940322	0600			Christian INVENTORY	
940322	1100			STC INVENTORY	
940322	2200			Stank INVENTORY	
940323	0600			W. S. INVENTORY/ KA	
940323	1100			B.F INVENTORY/ KA	
940323	2200			W. S. INVENTORY/ KA	
940323	0600			W. S. INVENTORY	
940324	1400			PO-GRiffin INVENTORY	
940324	2200			Stank INVENTORY/ KA	
940325	0600			W. S. INVENTORY/ KA	
940325	0700		13	W. S. INVENTORY/ KA	
940325	1400		13	Stank INVENTORY	
940325	2200	-2	11	Stank INVENTORY/ KA	
940325		INV	11	W. S. INVENTORY	
940325			11	W. S. INVENTORY	
940325			11	W. S. INVENTORY	
940325			11	W. S. INVENTORY	

990318 Caruso's report / evaluation
3 tabs taken!

990319 Day of Trial
3 tabs taken

MEDICATION

DOSAGE *needed*

KA

QTY

VERIFIED BY INMATES INT

[illegible]

MEDICATION

X KA

INMATES INIT

[illegible]

PRISONER

ISSUE REGISTER

Armann Kurtis
PRISONER'S NAME

Midrin
MEDICATION

Take as directed
DOSAGE

Broadwell, S.H.
DOCTOR

990621
DATE
ISSUE

20
QTY ISSUED

KA.
PRISONER
INITIALS

DATE	TIME	DOSE	BALANCE	ISSUED BY	RECEIVED BY
990621	1437	/	20	H	INV
990621	1440	-2	18	H	KA.
990621	1800	INV	18	SSG Webb	INV
990622	0300	INV	18	SSG Webb	INV
990622	0530	-2	16	SSG Webb	KA.
990622	1900	/	16	Stacy	INV
990622	2115	2	14	SSG Webb	KA.
990623	0600	INV	14	NORTH	INV
990623	1425	-2	12	NORTH	KA.
990623	1909	INV	12	SPC Mendez	INV
990624	0600	INV	12	NORTH	INV
990624	1230	-2	10	STUMM	KA.
990624	1825	INV	10	IMIG	INV
990625	1540	-2	8	Johnson	KA.
990625	0600	/	8	JOHNSON	INV
990626	1400	/	8	BT	INV
990626	1730	-2	6	BT	KA.
990626	2000	-1	5	BT	KA.
990626	2200	-	5	Ransley	INV
990627	0600	/	5	Wah	INV
990627	1400	INV	5	NORTH	INV
990627	1714	-2	3	Gledhill	KA.
990627	1916	-1	2	Gledhill	KA.

ARMAN, KURTIS E
NAME

MEDICATION LOG

MIDNIGHT
MEDICATION

See bottle

DOSAGE

KA.

DATE	TIME	DOSE	BALANCE	ISSUED BY	REC'D BY
990706	1335	INV	50	Skater	INVENTORY/
990706	1530	90	50	Skater	INVENTORY/
990706	1606	2	48	Skater	INVENTORY/ KA.
990706	1730	-1	47	GG	INVENTORY/ KA.
990706	1700	-	47	Ramsay	INVENTORY/
990706	0600	-	47	Foster	INVENTORY/
990707	0900	-2	45	Foster	INVENTORY/ KA.
990707	1215	-2	43	Foster	INVENTORY/ KA.
990707	1400	INV	43	NORTH	INVENTORY/
990707	2200	-	43	Skater	INVENTORY/
990708	0538	-	43	Skater	INVENTORY/
990708	1400	-	43	Skater	INVENTORY/
990708	2200	-	43	Skater	INVENTORY/
990709	0600	-	43	NORTH	INVENTORY/
990709	1400	-	43	SGT Piller	INVENTORY/
990709	1730	2	41	SGT Piller	INVENTORY/ KA.
990709	2100	1	40	SGT Piller	INVENTORY/ KA.
990709	2155	-	40	DAN	INVENTORY/
990710	0733	NA	40	BJF	INVENTORY/
990710	1215	2	38	BJF	INVENTORY/ KA.
990710	1245	1	37	COL	INVENTORY/ KA.
990710	1400	-	37	Briggs	INVENTORY/
990710	2100	-2	35	Briggs	INVENTORY/ KA.
990710	2200	-	35	Briggs	INVENTORY/
990711	0600	-	35	Briggs	INVENTORY/
990711	1400	-	35	Briggs	INVENTORY/
990711	2200	-	35	Briggs	INVENTORY/
990712	0600	-	35	Briggs	INVENTORY/
990712	1205	-2	33	Briggs	INVENTORY/ KA.
990712	1250	-2	31	Briggs	INVENTORY/ KA.
990712	1400	-	31	Briggs	INVENTORY/
990712	2100	-2	29	Briggs	INVENTORY/ KA.
990712	2200	-	29	Ramsay	INVENTORY/
990713	0600	-	29	GG	INVENTORY/
990713	1400	-	29	GG	INVENTORY/
990713	1745	2	27	Briggs	INVENTORY/ KA.
990713	1905	2	25	Briggs	INVENTORY/ KA.
990713	2200	-	25	Briggs	INVENTORY/
990714	0600	-	25	Moses	INVENTORY/
990714	1400	-	25	DAN	INVENTORY/
990714	2200	-	25	Briggs	INVENTORY/
990715	0600	-	25	Briggs	INVENTORY/
990715	0730	-2	23	Briggs	INVENTORY/ KA.
990715	1500	-	23	Briggs	INVENTORY/
990715	2200	-	23	Briggs	INVENTORY/

DATE	TIME	DOSE	BALANCE	ISSUED BY	RECEIVED BY
12/10/98	0530	1	9	ROYAL	INVENTORY
12/10/98	0645	2	1	ESCARATE	INVENTORY
12/10/98	2100	-2	5	GG	INVENTORY
12/10/98	2200	1	5	MM	INVENTORY
12/10/98	0600	2	5	Stale	INVENTORY
12/10/98	0900	-2	3	Stale	INVENTORY
12/10/98	0900	2	1	Stale	INVENTORY
12/10/98	2200	1	1	Stale	INVENTORY
12/10/98	0730	1	0	Stale	INVENTORY

MEDICATION LOG
 98/102
 DATE ISSUED
 9/10/98
 VERIFIED BY
 9/10/98
 MEDICATION
 9/10/98
 DOSE
 9/10/98
 INMATES INIT
 RECEIVED BY

Not to be taken w/ suppository

Airmann, Kurtis
 INMATE'S NAME
Broadwell
 DOCTOR'S NAME

MEDICATION LOG

Promethazine
 MEDICATION

25 Nov 99
 DATE ISSUED

20
 QTY

VERIFIED BY

Take 1 Tab
 every 8 hours
 for Headaches
 DOSE
KA
 INMATES INIT

DATE	TIME	DOSE	BALANCE	ISSUED BY	INVENTORY/	RECEIVED BY
8/1/99	0830	1	19	[Signature]	INVENTORY/	KA
9/1/99	1416	INV	1076	[Signature]	INVENTORY/	KA
9/8/99	2100	1	18	[Signature]	INVENTORY/	KA
9/8/99	2200	1	18	MARTIN	INVENTORY/	KA
9/12/99	0745	1	17	[Signature]	INVENTORY/	KA
9/11/99	1553	1	16	Baker	INVENTORY/	KA
9/11/99	2200	1	15	FLETCHER	INVENTORY/	KA
9/11/99	1845	-1	14	[Signature]	INVENTORY/	KA
9/11/99	1913	-1	13	[Signature]	INVENTORY/	KA
9/11/99	2200	1	12	[Signature]	INVENTORY/	KA
9/11/99	1230	1	11	BRUNNEN WEBB	INVENTORY/	KA
9/11/99	2110	1	10	SSG WEBB	INVENTORY/	KA
9/11/99	0800	INV	10	SGT BULL	INVENTORY/	KA
9/11/99	1500	-1	9	SGT BULL	INVENTORY/	KA
9/11/99	2100	-1	8	PO5	INVENTORY/	KA
9/11/99	0945	-1	7	PI. LEE	INVENTORY/	KA
9/11/99	2100	-1	6	[Signature]	INVENTORY/	KA
9/11/99	0800	1	5	JOHNSON	INVENTORY/	KA
9/11/99	1400	1	4	VERWIEBE	INVENTORY/	KA
9/11/99	1450	1	3	VERWIEBE	INVENTORY/	KA
9/11/99	1201	1	2	VERWIEBE	INVENTORY/	KA

USATMC Coleman
APO AE 09028 PH 382-5388
KEEP OUT OF REACH OF CHILDREN

PILL

MEDICATION LOG

pheneygan
MEDICATION990218
DATE ISSUED24
QTYshy
VERIFIED BYtake 1 T96
every 4-6 hours
as neededDOSAGE
K.A.
INMATES INITAlmanh, Kurtis
INMATE'S NAME
Broadwell
DOCTOR'S NAME

DATE	TIME	DOSE	BALANCE	ISSUED BY	RECEIVED BY
90218	2200	/	24	BT	INVENTORY/
990219	0600	/	24	(u)	INVENTORY/
990219	1310	-1	23	(u)	INVENTORY/ KIA
990219	2100	-1	22	SGT Cannon	INVENTORY/ KA
990219	2100	/	22	J	INVENTORY/
990220	0600	/	22	(u)	INVENTORY/
990220	1400	/	22	(u)	INVENTORY/
990220	2230	/	22	SGT Piliang	INVENTORY/
990221	2100	1	21	PO GRIFFIN	INVENTORY x KA
990222	2200	/	21	(u)	INVENTORY/
990223	0600	/	21	(u)	INVENTORY/
990223	1400	/	21	SSA Blythe	INVENTORY/
990223	2100	-1	20	SGT Vafe	INVENTORY/
990223	2300	0	20	(u)	INVENTORY/ KA
990224	1220	-1	19	(u)	INVENTORY/
990224	1700	/	19	WHE	INVENTORY/ KA
990224	2100	-1	18	(u)	INVENTORY/ KA
990224	2200	/	18	J	INVENTORY/
990224	0130	/	18	SGT Piliang	INVENTORY/
990224	0600	/	18	(u)	INVENTORY/
990224	1800	-1	17	JOHNSON	INVENTORY/ KA

DOSAGE
for headache or nausea

VERIFIED BY INMATES INIT

DOCATORS NAME		DATE	QTY	VERIFIED BY	INMATES INIT
DATE	TIME	DOSE	BALANCE	ISSUED BY	RECVD BY
990226	1820	/	12	Moses	(INVENTORY)
990226	1821	-1	11	Moses	INVENTORY/ KA.
990226	2300	/	10	[Signature]	INVENTORY/
990227	0600	/	11	[Signature]	INVENTORY/
990227	1300	1	10	SSG Wicks	INVENTORY/ KA.
990227	1437	NA	10	BJF	INVENTORY/
990227	1835	1	9	RIF	INVENTORY/ KA.
990227	2200	INV	9	LMS	(INVENTORY)
990228	0600	/	9	ZT	(INVENTORY)
990228	1048	1	8	DZ	INVENTORY/ KA.
990228	1400	/	8	[Signature]	(INVENTORY)
990228	2003	2	7	S-Tucker	INVENTORY/ KA.
990228	2202	/	7	R.A.	INVENTORY/
990301	0600	/	7	Ramsey	(INVENTORY) ~
990301	2100	X	07	King	INVENTORY/
990302	0600	/	7	[Signature]	INVENTORY/
990302	0822	-1	6	[Signature]	INVENTORY/ KA
990302	1201	-1	5	[Signature]	INVENTORY/ KA.
990302	1400	/	5	Wick	INVENTORY/
990302	2100	1	4	Dobbs	INVENTORY/ KA
990302	2200	/	4	[Signature]	INVENTORY/
990303	0600	/	4	Reed	INVENTORY/
990303	1215	1	3	SSG Wright	INVENTORY/ KA.
990303	2200	/	3	RTO	(INVENTORY)
990307	0600	/	3	[Signature]	INVENTORY/
990307	1400	/	3	SGT Jack	(INVENTORY)
990307	2000	/	3	P.L.H.	INVENTORY/
990307	0600	/	3	[Signature]	INVENTORY/
990307	1200	/	3	[Signature]	INVENTORY/ KA.
990307	1400	/	2	Steele	INVENTORY/
990307	2155	Inv	2	NORTH	(INVENTORY)
990307	0400	/	2	JONES	INVENTORY/
990307	0600	/	2	JOHNSON	INVENTORY/ KA.
990307	0800	INV	2	STUM	(INVENTORY)
990307	0600	/	1	ZT	(INVENTORY)
990307	1400	/	1	Wick	INVENTORY/
990307	2200	/	1	[Signature]	INVENTORY/
990308	0600	/	1	ZT	INVENTORY/
990308	1218	/	\$1	Ramsey	INVENTORY/ ~
990308	1400	/	1	SGT [Signature]	(INVENTORY)
990308	2200	/	1	MICZ	INVENTORY/
990309	0600	/	1	[Signature]	INVENTORY/
990309	1400	/	1	Wick	INVENTORY/
990309	2200	/	01	PHAN	INVENTORY/
990310	0600	/	1	[Signature]	INVENTORY/

Arman, Kurtis E.

INMATE'S NAME

Broadwell

DOCTOR'S NAME

MEDICATION LOG
 Promethazine 25mg TAB
 Phenergan EQ
 MEDICATION

Take one tablet
 mouth every 4-6 hours

DOSAGE

KA

INMATES INIT

CONT

DATE ISSUED

QTY

SSG Webb

VERIFIED BY

RECEIVED

DATE	TIME	DOSE	BALANCE	ISSUED BY	INVENTORY/	RECEIVED
990227	1300	1	16	SSG Webb	INVENTORY/	X - KA
990227	1436	NA	16	BIF	INVENTORY/	
990227	1834	1	15	BIF	INVENTORY/	KA
990227	2200	NA	15	RWS	INVENTORY/	
990228	EDWARD	/	15	DL	INVENTORY/	
990228	1204	1	14	DL	INVENTORY/	KA
990228	1400	/	14	B. Shaw	INVENTORY/	
990228	2003	1	13	ST Foster	INVENTORY/	KA
990228	2200	/	13	R. A.	INVENTORY/	
990301	0600	/	13	Ramsey	INVENTORY/	
990301	1400	/	13	MOSCA	INVENTORY/	
990301	2100	1	12	Kmagg	INVENTORY/	KA
990302	0600	/	12	(M)	INVENTORY/	
990302	0822	-1	11	(M)	INVENTORY/	KA
990302	1201	-1	10	(M)	INVENTORY/	KA
990302	1400	/	10	L. A.	INVENTORY/	
990302	2100	-1	9	Del. A.	INVENTORY/	KA
990302	2200	/	9		INVENTORY/	
990303	0600	/	9	R. A.	INVENTORY/	
990303	1215	1	8	SSG Webb	INVENTORY/	X - KA
990303	2100	/	8	Johnson	INVENTORY/	
990303	2200	/	8	B. A.	INVENTORY/	

9/2005 Page 27 of 39

Kobylarz
DOCATORS NAME

DATE	QTY
04 Mar 99	10

Linda HA
VERIFIED BY INMATES INIT

DATE	TIME	DOSE	BALANCE	ISSUED BY	REC'D BY
990304	1635	—	10	Zinda	INVENTORY
990304	2200	—	10	Pliley	INVENTORY
990305	0600	—	10	Pliley	INVENTORY
990305	1400	—	10	Pliley	INVENTORY
990305	2206	IN	10	NORTH	INVENTORY
990306	0600	IN	10	STAN	INVENTORY
990306	1400	IN	10	STAN	INVENTORY
990306	2200	IN	10	STAN	INVENTORY
990307	0600	IN	10	STAN	INVENTORY
990307	1400	IN	10	STAN	INVENTORY
990307	2200	IN	10	STAN	INVENTORY
990308	0600	IN	10	STAN	INVENTORY
990308	1400	IN	10	STAN	INVENTORY
990308	2200	IN	10	STAN	INVENTORY
990309	0600	IN	10	STAN	INVENTORY
990309	1400	IN	10	STAN	INVENTORY
990309	2200	IN	10	STAN	INVENTORY
990310	0600	IN	10	STAN	INVENTORY
990310	1400	IN	10	STAN	INVENTORY
990310	2200	IN	10	STAN	INVENTORY
990311	0600	IN	10	STAN	INVENTORY
990311	1400	IN	10	STAN	INVENTORY
990311	2200	IN	10	STAN	INVENTORY
990312	0600	IN	10	STAN	INVENTORY
990312	1400	IN	10	STAN	INVENTORY
990312	2200	IN	10	STAN	INVENTORY
990313	0600	IN	10	STAN	INVENTORY
990313	1400	IN	10	STAN	INVENTORY
990313	2200	IN	10	STAN	INVENTORY
990314	0600	IN	10	STAN	INVENTORY
990314	1400	IN	10	STAN	INVENTORY
990314	2200	IN	10	STAN	INVENTORY
990315	0600	IN	10	STAN	INVENTORY
990315	1400	IN	10	STAN	INVENTORY
990315	2200	IN	10	STAN	INVENTORY
990316	0600	IN	10	STAN	INVENTORY
990316	1400	IN	10	STAN	INVENTORY
990316	2200	IN	10	STAN	INVENTORY
990317	0600	IN	10	STAN	INVENTORY
990317	1400	IN	10	STAN	INVENTORY
990317	2200	IN	10	STAN	INVENTORY
990318	0600	IN	10	STAN	INVENTORY
990318	1400	IN	10	STAN	INVENTORY
990318	2200	IN	10	STAN	INVENTORY
990319	0600	IN	10	STAN	INVENTORY
990319	1400	IN	10	STAN	INVENTORY
990319	2200	IN	10	STAN	INVENTORY
990320	0600	IN	10	STAN	INVENTORY
990320	1400	IN	10	STAN	INVENTORY
990320	2200	IN	10	STAN	INVENTORY

Armann, Kurt's
INMATE'S NAME
Broadwell, Scott
DOCTOR'S NAME

MEDICATION LOG

Phenprocan
MEDICATION

USE 45
directed
DOSAGE

26 Mar 99
DATE ISSUED

QTY VERIFIED BY

INMATES INIT

DATE	TIME	DOSE	BALANCE	ISSUED BY	RECEIVED BY
990330	1112	0	10	Ramsey	INVENTORY! <u>KA</u>
990330	1132	1	9	Ramsey	INVENTORY! <u>KA</u>
990330	1800	1	8	JOHNSON	INVENTORY! <u>KA</u>
990330	1800	/	8	JOHNSON	INVENTORY! <u>KA</u>
990331	0600	0	8	Ramsey	INVENTORY! <u>KA</u>
990331	1222	-1	7	Manning	INVENTORY! <u>KA</u>
990401	0215	/	7	SGT. <u>Frank</u>	INVENTORY! <u>KA</u>
990401	0600	/	7	<u>W</u>	INVENTORY! <u>KA</u>
990401	1800	/	7	Kraep	INVENTORY! <u>KA</u>
990402	0600	/	7	White	INVENTORY! <u>KA</u>
990402	1217	-1	6	<u>W</u>	INVENTORY! <u>KA</u>
990402	1531	-1	5	<u>W</u>	INVENTORY! <u>KA</u>
990402	1800	/	5	SGT. <u>Cam</u>	INVENTORY! <u>KA</u>
990403	0600	0	5	<u>W</u>	INVENTORY! <u>KA</u>
990403	1400	/	5	<u>W</u>	INVENTORY! <u>KA</u>
990403	1532	-1	4	<u>W</u>	INVENTORY! <u>KA</u>
990403	1735	-1	3	<u>W</u>	INVENTORY! <u>KA</u>
990403	2200	/	3	SGT. <u>Cam</u>	INVENTORY! <u>KA</u>
990404	0600	/	3	<u>W</u>	INVENTORY! <u>KA</u>
990404	1245	-1	2	<u>W</u>	INVENTORY! <u>KA</u>
990404	1400	/	2	<u>W</u>	INVENTORY! <u>KA</u>
990404	2200	/	2	JOHNSON	INVENTORY! <u>KA</u>

INMATES NAME

MEDICATION

DOSAGE

Broadwell

990413

10

DOCATORS NAME

DATE

QTY

VERIFIED BY

INMATES INIT

DATE	TIME	DOSE	BALANCE	ISSUED BY	RECVD BY
990413	1700	/	10	INVENTORY/	
990413	2215	/	10	Foster INVENTORY/	
990414	0630	/	10	INVENTORY/	
990414	1225	/	9	Buglio INVENTORY/	KA.
990414	1400	/	9	INVENTORY/	
990414	2200	/	9	INVENTORY/	
990415	0600	/	9	INVENTORY/	
990415	1300	1	8	INVENTORY/	KA.
990415	1400	/	8	INVENTORY/	
990415	2245	/	8	INVENTORY/	
990416	0600	/	8	INVENTORY/	
990416	1300	1	7	INVENTORY/	KA.
990416	1400	0	7	INVENTORY/	
990416	2200	0	7	INVENTORY/	
990416	0600	/	7	INVENTORY/	
990417	1230	-1	6	INVENTORY/	KA.
990417	1405	/	6	INVENTORY/	
990417	2210	/	6	INVENTORY/	
990418	0600	/	6	INVENTORY/	
990418	1310	-1	5	INVENTORY/	KA.
990418	1353	/	5	INVENTORY/	
990418	2200	/	5	INVENTORY/	
990419	0630	/	5	INVENTORY/	
990419	1400	/	5	INVENTORY/	
990420	0130	/	5	INVENTORY/	
990420	1230	1	4	INVENTORY/	KA.
990420	1400	/	4	INVENTORY/	
990420	2230	N/A	4	INVENTORY/	
990421	1400	/	4	INVENTORY/	
990421	1715	1	3	INVENTORY/	KA.
990421	2300	/	3	INVENTORY/	
990422	1700	/	3	INVENTORY/	
990422	2222	/	3	INVENTORY/	
990423	0600	/	3	INVENTORY/	
990423	1700	/	3	INVENTORY/	
990423	1500	-1	2	INVENTORY/	KA.
990423	2215	/	2	INVENTORY/	
990424	0600	/	2	INVENTORY/	
990424	1400	/	2	INVENTORY/	
990424	1500	-1	1	INVENTORY/	KA.
990425	0600	/	1	INVENTORY/	
990425	1400	/	1	INVENTORY/	
990425	2215	/	1	INVENTORY/	
990425	0600	/	1	INVENTORY/	

Arman Kuptis
INMATES NAME

Phenergan Supp.
MEDICATION

As needed
DOSAGE

Caballero
DOCATORS NAME

DATE

QTY

SGT NORTH

INMATES INIT

DATE TIME DOSE

BALANCE

ISSUED BY

RECVD BY

990507	0600	/	10	NORTH	INVENTORY/	
990507	0740	-1	9	NORTH	INVENTORY/	KA.
990507	2100	-1	8	(N)	INVENTORY/	KA.
990507	2100	/	8	WALK	INVENTORY/	
990508	0600	/	8	WALK	INVENTORY/	
990508	2200	/	8	WALK	INVENTORY/	
990509	1224	/	(7)	WALK	INVENTORY/	KA.
990509	1400	/	7	WALK	INVENTORY/	
990509	1715	-1	6	WALK	INVENTORY/	KA.
990509	2200	/	6	WALK	INVENTORY/	
990510	1240	/	5	WALK	INVENTORY/	KA.
990510	2100	-1	4	(N)	INVENTORY/	KA.
990510	2200	/	4	WALK	INVENTORY/	
990510	1700	-1	3	(N)	INVENTORY/	KA.
990511	2210	/	3	Fisk	INVENTORY/	
990512	1250	-1	2	NORTH	INVENTORY/	KA.
990512	2100	/	2	WALK	INVENTORY/	
990513	0607	/	2	WALK	INVENTORY/	
990513	1720	-1	1	WALK	INVENTORY/	KA.
990513	2222	NA	1	BIE	INVENTORY/	
990514	1800	/	1	WALK	INVENTORY/	
990514	2222	/	1	WALK	INVENTORY/	
990515	2200	/	1	WALK	INVENTORY/	
990516	2210	/	2	WALK	INVENTORY/	
990517	1250	/	1	WALK	INVENTORY/	KA.

Balanced
990517

MEDICATION

[Handwritten signature]

INMATES NT

[illegible]

MEDICATION

DOSAGE

90603

8

VERIFIED BY Stash KA INMATES INT

DOCATORS NAME

DATE _____

QTY

VERIFIED BY

UNCLASSIFIED

[illegible]

DOSAGE À L'ÉCHELLE

LA.
INMATES INIT

[illegible]

PRISONER

ISSUE REGISTER

Almann, Kurtis
PRISONER'S NAME

Phenergan
MEDICATION

Take as directed
DOSAGE

Broadwell Scott
DOCTOR

990621

DATE
ISSUE

12

QTY ISSUED

KA.

PRISONER
INITIALS

DATE	TIME	DOSE	BALANCE	ISSUED BY	RECEIVED BY
90621	1437	/	12	H	INV
990621	1440	-1	11	H	KA.
990621	1800	INV	11	SSG Webb	INV
990622	0300	INV	11	SSG Webb	INV
990622	0530	-1	10	SSG Webb	KA.
990622	1300	/	10	Styne	INV
990623	0600	INV	10	NORTH	INV
990623	1425	-1	9	NORTH	KA.
990623	1910	INV	9	SPC Mplendez	INV
990624	0600	INV	9	NORTH	INV
990624	1230	-1	8	STYNE	KA.
990624	1825	INV	8	IMB	INV
990624	2100	-1	7	IMB	KA.
990625	1540	-1	6	Johnson	KA.
990625	2104	-1	5	Ramsey	X KA.
990626	0600	/	5	JOHNSON	INV
990626	1400	/	5	RA	INV
990626	1730	-1	4	RA	KA.
990626	2200	-	4	Ramsey	Inv
990627	1200	-	4	White	inv
990627	1400	Inv	4	NORTH	Inv
990627	1730	-1	3	NORTH	KA.

INMATES NAME

MEDICATION

DOSAGE

Broadwell
DOCATORS NAME990413
DATE

QTY

Cont.

VERIFIED BY

INMATES INIT

DATE

TIME

DOSE

BALANCE

ISSUED BY

RECVD BY

9906261210-1LabandeINVENTORY9906261230-10LabandeINVENTORY/KALAST SUPPOSITORYTAKENINVENTORY/

105 Page 37 of 39
TAKE AS DIRECTED

DOSAGE

3

[illegible]

Armstrong, Kuntz
INMATES NAME

Phenergan
MEDICATION

1 Tab 3x Day
DOSAGE

DOCATORS NAME			DATE	QTY	VERIFIED BY	INMATES INIT
DATE	TIME	DOSE	BALANCE	ISSUED BY	RECVD BY	
990716	0618	/	15	WJL	INVENTORY	
990716	1214	-1	14	WJL	INVENTORY/	KA.
990716	1400	/	(14)	WJL	INVENTORY/	
990716	2100	-1	(13)	WJL	INVENTORY/	KA.
990716	2130	/	13	WJL	INVENTORY/	
990717	1230	-1	12	DeLara	INVENTORY	KA
990717	1400	/	12	WJL	INVENTORY/	
990717	1720	-1	11	GB	INVENTORY/	KA.
990717	2100	-1	10	GB	INVENTORY/	KA.
990717	2200	/	10	Mosca	INVENTORY/	
990718	0600	/	10	Mosca	INVENTORY/	
990718	1400	/	10	Burgess	INVENTORY/	
990718	2025	1	9	Burgess	INVENTORY/	KA.
990718	2200	/	9	Burgess	INVENTORY/	
990719	0600	/	9	Burgess	INVENTORY/	
990719	1400	/	9	Burgess	INVENTORY/	
990719	1735	-1	8	Burgess	INVENTORY/	KA.
990719	2200	/	8	Burgess	INVENTORY/	
990720	0600	/	8	Burgess	INVENTORY/	
990720	1400	/	8	Burgess	INVENTORY/	
990720	1730	-1	07	Burgess	INVENTORY/	KA.
990720	2200	/	07	Burgess	INVENTORY/	
990721	0540	-1	6	Burgess	INVENTORY/	KA.
990721	0600	/	6	Burgess	INVENTORY/	
990721	1400	/	6	Burgess	INVENTORY/	
990721	2010	1	5	Burgess	INVENTORY/	KA.
990721	2200	INV	5	Burgess	INVENTORY/	
990722	0600	INV	5	Burgess	INVENTORY/	KA.
990722	0600	-1	4	Burgess	INVENTORY/	KA.
990722	1400	INV	4	Burgess	INVENTORY/	
990723	0801	/	4	Burgess	INVENTORY/	
990724	0610	/	4	Burgess	INVENTORY/	
990724	1400	/	4	Burgess	INVENTORY/	
990724	2200	/	4	Burgess	INVENTORY/	
990724	1215	-1	3	Burgess	INVENTORY/	KA.
990724	1400	/	3	Burgess	INVENTORY/	
990724	2100	-1	2	Burgess	INVENTORY/	KA.
990724	2200	/	2	Burgess	INVENTORY/	
990725	0600	/	2	Burgess	INVENTORY/	
990725	1345	/	2	Burgess	INVENTORY/	
990725	2300	/	2	Burgess	INVENTORY/	
990725	0600	/	2	Burgess	INVENTORY/	
990726	0800	-1	1	Burgess	INVENTORY/	KA.
990726	1400	/	1	Burgess	INVENTORY/	
990726	1635	-1	0	Burgess	INVENTORY/	KA.

40

INMATES INIT

RECVD BY

$$KA$$

*MAY CAUSE DROWSINESS *

[illegible]